



IP65

IP65



16 million  
colors to change



Dimmable &  
Saturation control



Color temperature  
2700~6500K



Signal transmitting &  
Modes synchronization

## Product Parameters

•**Model Number:**

FL085570

•**Power:**

100W.

•**Input Voltage:**

AC 100~240V 50/60Hz.

•**Working Temperature:**

-20-45°C

•**Colour Temperature:**

2700K-6500K

•**Luminous Flux:**

8500LM

•**Luminous Efficiency:**

85LM/W

•**Standby Power Consumption:**

0.65W

•**CRI:**

>80

•**PF:**

>0.9

•**Lifespan:**

50000 hours

•**Beam Angle:**

160°

•**IP Rating:**

IP65

•**RF:**

2.4GHz



•**Control Distance:**

30m



**FANTASY LIGHTS GROUP®**  
COMPLETE LIGHTING SOLUTIONS


# 100W RGB+CCT LED FLOODLIGHT



## 16 Million Colours/Saturation Control



## Adjust warm white to cool white randomly





**FANTASY LIGHTS GROUP**<sup>®</sup>  
COMPLETE LIGHTING SOLUTIONS

# 100W RGB+CCT LED FLOODLIGHT

## Control never like this convenient

2.4GHz remote control, cell phone APP control, enjoy the convenient life bring by technology.

(\* Need 2.4GHz Gateway(WL-Box1) for smartphone APP control )



Compatible with



### Support Third Party Voice Control

It need 2.4GHz gateway(WL-Box1) for third party voice control



### IP65 Waterproof

Professional waterproof technology, high performance waterproof

