



Product Parameters

•Model Number:

FL085574

•Working Temperature:

-20-45°C

•Luminous Efficiency:

85LM/W

·PF:

>0.5

•IP Rating:

IP66

•Power:

25W.

Colour Temperature:

2700K-6500K

•Illumination distance:

>15m

•Lifespan:

50000 hours

•RF:

2.4GHz

•Input Voltage:

AC 100~240V 50/60Hz.

•Luminous Flux:

2100LM

•CRI:

>80


•Beam Angle:


15°

Control Distance:

30m










Brightness adjustable & Color temperature adjustable

Brightness adjustable, Adjust the color temperature from 2700K~6500K, make the light you want



2.4GHz RF Remote Control

The lamp is controlled by 2.4GHz wireless remote; Control distance is within 30m





Support Smart phone APP control and third party voice control

It need 2.4GHz gateway for smart phone control or third party voice control



Symmetrical and centralized light ray

Beam Angle 25°, Irradiation distance15m






Signal transmitting

One garden light can transmit the signals from the remote control to another garden light within 30m, as long as there is a garden light within 30m, the remote control distance can be limitless.

Modes synchronization

Different garden lights can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.





Adjustable freely and easy operation

Install at different scenes; can rotate and adjust the beam angle freely





